

**REVUE SCIENTIFIQUE INTERDISCIPLINAIRE
DE L'INSTITUT NATIONAL DE LA JEUNESSE
ET DES SPORTS (RESI)**

***INTERDISCIPLINARY SCIENTIFIC REVIEW
OF NATIONAL INSTITUTE
OF YOUTH AND SPORTS (ISRN)***



**VOLUME 1 - NUMERO 3 - JANVIER 2023
VOLUME 1 - NUMBER 3 - JANUARY 2023**

*Une publication des Centres de Recherche de l'INJS
A publication of NIYS Research Centres*



9789956628605



INTERDISCIPLINARY SCIENTIFIC REVIEW OF NATIONAL
INSTITUTE OF YOUTH AND SPORTS (ISRN)

REVUE SCIENTIFIQUE INTERDISCIPLINAIRE DE L'INSTITUT
NATIONAL DE LA JEUNESSE ET DES SPORTS (RESI)



**REVUE SCIENTIFIQUE INTERDISCIPLINAIRE
DE L'INSTITUT NATIONAL DE LA JEUNESSE
ET DES SPORTS (RESI)
INTERDISCIPLINARY SCIENTIFIC REVIEW OF
NATIONAL INSTITUTE OF YOUTH AND SPORTS
(ISRN)**

Contact / Contact cafedeslabos@gmail.com

**(00237) 222.23.08.35 / 672.51.48.98/ 6 77 15 65 98 / 699 84
85 80**

INJS Yaoundé / NIYS Yaoundé

**VOLUME 1 - NUMERO 3 - JANVIER 2023
VOLUME 1 – NUMBER 3 - JANUARY 2023**

Une publication des Centres de Recherche de l'INJS
A publication of NIYS Research Centres

ISBN: 978-9956-628-60-5

Directeur de Publication / Director of Publication

Dr. EBAL MINYE Edmond

Coordonnateur Administratif / Administrative Coordinator

Dr. WADOUM FOFOU Chamberlain

Coordonnateur Technique / Technical Coordinator

M. FOU DA Victor

Coordonnateur Scientifique / Scientific Coordinator

Dr ONOMO ONOMO Modeste Ghislain

Rédacteur en chef / Editor in Chief

Dr AMOUGOU Martial Patrice

Comité Scientifique / Scientific Committee

- Pr. ABDOU TEMFEMO (Université de Douala) ;
Pr. Aime BONNY (Université de Douala) ;
Pr. AMA Pierrot (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Pr. ATCHADE Alex (Université de Yaoundé 1) ;
Pr. AYISSI Lucien (Université de Yaoundé 1) ;
Pr. BILONG Charles Felix (Université de Yaoundé 1) ;
Pr. BLOSSOM NGUM FONDO (Université de Yaoundé 2) ;
Pr. BUNDE-BIRUSTE Anne (Université Australia) ;
Pr. CHARRIER Dominique (Université Paris Saclay) ;
Pr. CHAZAUD Pierre (Université de Lyon 1) ;
Pr. DANSOU Pierre (Université d'Abomey-Calavi) ;
Pr. FEUDJO Jules Roger (Université de Dschang) ;
Pr. GBENOU Joachim (Université d'Abomey-Calavi) ;
Pr. HONTA Marina (Université de Bordeaux 2) ;
Pr. KEMO KEIMBOU David Claude (Université Paris Saclay) ;
Pr. LAHAN Magloire (Université d'Abomey-Calavi) ;
Pr. MANDENGUE Samuel Honoré (Université de Douala) ;
Pr. MARCHISET Gilles-Vieille (Université de Strasbourg) ;
Pr. MBEDE Raymond (Université de Yaoundé 1) ;
Pr. MENYE NGA Germain (Université de Ngaoundéré) ;
Pr. MINKOA SHE, (Université de Yaoundé 2) ;
Pr. NGO BOUM Élisabeth (Université de Maroua) ;
Pr. OWONA NGUINI Mathias Éric (Université de Yaoundé 1) ;
Pr. SAID AHMAIDI (Université de Picardie Jules Vernes) ;
Pr. SOSSO Aurelien Maurice (Université de Yaoundé 1) ;
Pr. SOULE Bastien (Université de Lyon 1) ;
Pr. TABI MANGA Jean (Centre d'Étude Africain Olympiques) ;
Pr. TAN Paul Vernyuy (Université de Yaoundé 1) ;
Dr. AMOUGOU Martial Patrice (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. BAKENA Emmanuel (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. BISSOU MAHOP Josué (Université de Yaoundé 1) ;
Dr. BONOY LAMOU (Université de Ngaoundéré) ;
Dr. DIKOUME François (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. DOHBOBGA Macias NWANA NDINGA (Université de Bamenda) ;
Dr. EBAL MINYE Edmond (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. EYENGA Jean Marie (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. GUESSOGO Wiliam (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. HABIT Bienvenu (Institut National de la Jeunesse et des Sports de

Yaoundé) ;
Dr. HAMADOU André (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. KONTCHOU Bernard (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. MANGA André (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. MANGA Jérôme Manfred (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. MBAME Jean Pierre (Université de Ngaoundéré) ;
Dr. MBIDA NANA Frank Michael (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. MBOUH Samuel (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. MIBO'O Pascale (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. NGAPOUT Jean Jaurès (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. NGUEND Jean Marie (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr NTSA NKOA Roger (Institut National de la Jeunesse et des Sports de Yaoundé).
Dr. ONOMO ONOMO Modeste Ghislain (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. SAIDOU Victor (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. TADJORE NDJOCK Maurice (Institut National de la Jeunesse et des Sports) ;
Dr. TADO OUMAROU (Institut National de la Jeunesse et des Sports) ;
Dr. TCHOMO (Institut National de la Jeunesse et des Sports de Yaoundé)
Dr. TINKEU NGUIMGOU Narcisse (Université de Bourgogne Franche Comté) ;
Dr. VIGNAL Bénédicte (Université de Lyon 1) ;
Dr. WADOUM FOFOU Chamberlain (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. WOUASSI Dieudonné (Institut National de la Jeunesse et des Sports de Yaoundé) ;
Dr. YANO YANO Jean Pierre (Institut National de la Jeunesse et des Sports) ;
Dr. YATCHO YABEN (Institut National de la Jeunesse et des Sports).

Comité de lecture / Reading panel

Dr AMOUGOU Martial Patrice (Institut National de la Jeunesse et des Sports) ;

Dr. BAKENA Emmanuel (Institut National de la Jeunesse et des Sports) ;

Dr. GUESSOGO Wiliam Richard (Institut National de la Jeunesse et des Sports) ;

Dr. HAMADOU André (Institut National de la Jeunesse et des Sports) ;

Dr. MBIDA NANA Frank Michael (Institut National de la Jeunesse et des Sports de Yaoundé) ;

Dr MBOUH Samuel (Institut National de la Jeunesse et des Sports) ;

Dr. MOTE Adolf (Institut National de la Jeunesse et des Sports) ;

Dr. MANGA Jérôme Manfred (Institut National de la Jeunesse et des Sports de Yaoundé) ;

Dr. ONOMO ONOMO Modeste Ghislain (Institut National de la Jeunesse et des Sports) ;

Dr. SAIDOU Victor (Institut National de la Jeunesse et des Sports) ;

Dr WADOU MFOFOU Chamberlain (Institut National de la Jeunesse et des Sports) ;

M. ETUGE Elvis ENOSSALLE (Institut National de la Jeunesse et des Sports) ;

M. FOU DA OMGBA NSI Landry (Institut National de la Jeunesse et des Sports) ;

Mme AKWEN NGWEFOR KOTI (Institut National de la Jeunesse et des Sports).

SOMMAIRE

ÉDITORIAL	9
PARTIE 1 - Biologie Appliquée aux Activités Physiques et Sportives.....	11
PARTIE 2 - Sciences Humaines et Sociales Appliquées aux Activités Physiques et Sportives.....	87
PARTIE 3 – Sciences de l'Intervention	131
PARTIE 4 – Sciences Humaines et Sociales Appliquées à l'Éducation Permanente.....	163
PARTIE 5 – Sciences du Loisir.....	225

ÉDITORIAL

Devenu établissement à statut particulier suite à la signature du décret n° 2016/427 du 26 Octobre 2016, l'Institut National de la Jeunesse et des Sports (INJS) entend, comme toute institution de l'Enseignement Supérieur, mettre la recherche au centre de son action de formation.

C'est ainsi qu'après avoir œuvré pour la parution des deux premiers numéros de la Revue Scientifique Interdisciplinaire de l'Institut National de la Jeunesse et des Sports (RESI) en janvier 2021 et 2022, l'administration de l'INJS poursuit la promotion de la recherche à travers ses deux centres de recherche créés en août 2020, l'un en Sciences et Techniques des Activités Physiques et Sportives, et l'autre en Sciences et Techniques de l'Animation, des Loisirs et de l'Éducation Civique. Ces centres, par le biais des activités de leurs différents laboratoires (Biologie Appliquée aux Activités Physiques et Sportives, Sciences Humaines et Sociales Appliquées aux Activités Physiques et Sportives, Sciences de l'Intervention, Sciences de l'Éducation Civique, Sciences Humaines et Sociales Appliquées à l'Éducation Permanente, Sciences des Loisirs) constituent la matérialisation de la volonté du staff de l'INJS de donner à la recherche, une place centrale parmi les nombreuses missions assignées à l'institution. Ces centres de recherche sont en effet un cadre non seulement d'organisation d'activités scientifiques (communications, conférences, tables rondes), mais sont aussi la matrice de publication d'ouvrages et/ou articles traitant des thématiques relatives aux référentiels-métiers de l'Éducation Physique et du Sport, ainsi que de l'Animation, des Loisirs et de l'Éducation Civique. L'INJS veut donc aujourd'hui plus qu'hier :

- favoriser le développement de la recherche dans les spécialités reconnues par le Conseil Africain et Malgache pour l'Enseignement Supérieur (CAMES) ;
- mutualiser les idées de ses partenaires des métiers du Sport et de l'Éducation Physique, de l'Animation, de la Jeunesse des Loisirs et de l'Éducation Civique ;
- susciter l'esprit d'émulation scientifique sans lequel l'objectif d'améliorer la masse critique des enseignants ne saurait être atteint;
- inciter les enseignants-chercheurs à publier dans la mesure du possible, des travaux de recherche originaux et interdisciplinaires ;
- améliorer la qualité de l'image de l'institution tant sur le plan national qu'international à travers les publications.

La publication du troisième numéro de la RESI amène à saluer et à encourager le mérite de toute l'équipe qui a contribué à la rendre concrète, en dépit des nombreuses difficultés rencontrées. Le lancement effectif des activités du Master Recherche en Sciences et Techniques des Activités Physiques et Sportives, Jeunesse et Loisirs (STAPS-JL), ainsi que l'implémentation de l'Unité de Formation Doctorale en collaboration avec l'Université de Yaoundé II-Sao en cette année 2023, de par l'engouement qu'ils vont susciter auprès de tous les acteurs de la recherche, augurent à n'en point douter de lendemains meilleurs pour notre revue.

Bon vent à la RESI et bonne lecture à tous.

**DIRECTEUR DE L'INSTITUT NATIONAL
DE LA JEUNESSE ET DES SPORTS,
EBAL MINYE Edmond**

EDITORIAL

Having become an establishment with a special status following the signing of Decree No 2016/427 of 26 October 2016, the National Institute of Youth and Sports (NIYS) like any other Institution of Higher Education intends to put research at the center of its training activity.

Thus, after having worked for the publication of the first two papers of the Interdisciplinary Scientific Review of the National Institute of Youth and Sports (ISRI) in January 2021 and 2022, the administration of the NIYS continued with the promotion of research via its two research centers created in August 2020; one in the Sciences and Techniques of Sports and Physical Activities, and the other in the Sciences and Techniques of Animation, Leisure and Civic Education. These centers, through the activities of their various laboratories (Biology Applied to Sports and Physical Activities, Human and Social Sciences Applied to Sports and Physical Activities, Intervention Sciences, Sciences of Civic Education, Human and Social Sciences Applied to Permanent Education, Sciences of Leisure) constitutes the materialization of the will of the staff of the NIYS to give research a central place among the many missions assigned to the Institution. These research centers are indeed a framework not only for the organization of scientific activities (communications, conferences, round tables, etc.), but are also the matrix for the publication of works and/or articles dealing with themes relating to reference Sports and Physical Education, as well as activities related to Leisure and Civic Education. Thus, the NIYS more than ever intends to;

- Promote the development of research in specialties recognized by the African and Malagasy Council for Higher Education (CAMES),
 - Harmonize ideas of its partners in the fields of Sports and Physical Education, as well as in activities related to Leisure and Civic Education,
 - Arouse the spirit of scientific emulation without which the objective of improving the critical mass of teachers cannot be achieved,
 - Encourage teacher-researchers to publish original and interdisciplinary research works as much as they can,
 - Improve the quality of the image of the Institution both nationally and internationally through publications.
- The publication of the Third Paper of ISRI leads us to salute and encourage the merit of the entire team who contributed to making it effective, despite the difficulties encountered. The effective launch of the activities of the Research Master in the Sciences and Techniques of Sports and Physical Activities-Youth and Leisure, as well as the implementation of the Doctoral Training Unit in collaboration with the University of Yaoundé II-Soa in the 2023 Academic Year, the enthusiasm they will arouse among all those involved in research undoubtedly augurs a better future for our journal.

Good Luck to the ISRI and Good Reading to all.

**THE DIRECTOR OF THE NATIONAL INSTITUTE OF
YOUTH AND SPORTS,
EBAL MINYE Edmond**

PARTIE 1

BIOLOGIE APPLIQUÉE AUX ACTIVITÉS PHYSIQUES ET SPORTIVES

DO UNIVERSITY ATHLETES REALLY EXPRESS THE DIFFICULTY OF THE EFFORT DURING CARDIORESPIRATORY ENDURANCE TESTS?

GUESSOGO Wiliam Richard*¹, MBOUH Samuel¹, HAMADOU André¹, EBAL-MINYE Edmond¹, MBANG-BIAN William¹, MIBO'O Pascale¹, ABOUNA Lucien A.¹, EYOUNGOU-NKOUTA Lucien¹, DJOMO-NGNOKO Edmundo Evariste¹

1-Laboratory of Biology of Physical Activities National Institute of Youth and Sports of Yaounde, Cameroon.

Corresponding author: guessowiliam@yahoo.fr

Abstract

Objective and subjective measurements of the Rating of Perceived Exertion (RPE) are two methods to determine the difficulty of the effort but, it is not known if athletes express similarly the RPE through both methods. The aim of this study was mainly to investigate the convergence of the RPE subjective (S-RPE) assessment (6-20 RPE-scale) with that of the objective (O-RPE) assessment ($HR_{max} = RPE * 10$). Thirty-one university athletes moderately trained were submitted to two field tests spaced 48 hours apart: the VAMEVAL test and the 20 m squared shuttle test (20mST). Physiological parameters were recorded before and at the end of each test, and the maximal heart rate (HR_{max}) was collected during the test. The subjective-RPE (S-RPE) was determined using the Borg 15-point RPE scale, and the objective-RPE (O-RPE) was estimated from the relation $HR_{max} = RPE * 10$. Significant differences were recorded ($P < 0.0001$) in the values of VO_{2max} , and SpO_2 , obtained in the

VAMEVAL test and the 20mST. In contrary, there was no significant difference between both tests in the values obtained in the HR_{max} ($P = 0.4238$) and $[BLa]$ ($P = 0.3346$). Significant differences were noted between S-RPE and O-RPE in each test ($P < 0.0001$). The university athletes do not express the real difficulty of the effort. The S-RPE and the O-RPE must be used complementary.

Keywords: Rating of perceived exertion; university athletes; VAMEVAL test; 20 m shuttle test.

Résumé

Les mesures objectives et subjectives de perception de la difficulté de l'effort (RPE) sont deux méthodes pour déterminer la difficulté perçue de l'effort, mais on ne sait pas si les athlètes expriment de manière similaire la RPE par les deux méthodes. L'objectif de cette étude était principalement d'étudier la convergence de l'évaluation subjective de RPE (S-RPE) (échelle-RPE 6-20 points) avec celle de l'évaluation objective (O-RPE) ($HR_{max} = RPE * 10$). Trente et un athlètes uni-

versitaires moyennement entraînés ont été soumis à deux tests terrain espacés de 48 heures : le test VAMEVAL et le test navette de 20 mètres carré (20mST). Les paramètres physiologiques ont été enregistrés avant et à la fin de chaque test, et la fréquence cardiaque maximale (FC max) a été enregistrée pendant le test. Le RPE subjectif (S-RPE) a été déterminé à l'aide de l'échelle RPE de Borg à 15 points, et le RPE objectif (O-RPE) a été estimé à partir de la relation $HR_{max} = RPE \times 10$. Des différences significatives ont été notées ($P < 0,0001$) dans les valeurs de VO_{2max} et SpO_2 , obtenues dans le test VAMEVAL et le 20mST. Par contre, aucune différence significative n'a été observée entre les deux tests dans les valeurs de HR_{max} ($P = 0,4238$) et $[BLa]$ ($P = 0,3346$). Des différences significatives ont été enregistrées entre S-RPE et O-RPE dans chaque test ($P < 0,0001$). Les athlètes universitaires n'expriment pas la réelle difficulté de l'effort. S-RPE et O-RPE doivent être utilisés de manière complémentaire.

Mots clés : Difficulté de l'effort perçu, sportifs universitaires, test VAMEVAL, test navette de 20 m.

Introduction

The high level sport is characterized by performance, and the trainers as well as sporters are often subjected to observe requirements in

order to avoid fatigue and over-training. They have many simple possibilities to monitor their training programme as the rating of perceived exertion (RPE). Despite the fact that RPE is often the prescription method of choice for patients taking medication that affects exercise heart rate (Ritchie, 2012), RPE is also helpful for athletes (Hamer and Slocombe, 1997).

The RPE is a recognized marker of intensity and of homeostatic disturbance during exercise (Eston, 2012). It can be used in such diverse fashions as to predict exercise capacity, assess changes in training status, explain changes in pace and pacing strategy and self-regulate exercise (Eston, 2012). The RPE is used to subjectively quantify an individual's perception of the physical demands of an activity, and is provided as an exercise intensity guide (Ritchie, 2012). Moreover, it is a useful tool due to its potential to facilitate the monitoring of exercise training in the sport performance field (Morris et al., 2009).

Many studies have already confirmed the predictive efficacy of physiological parameters (heart rate, VO_{2max} , VO_{2peak} , etc.) from RPE in health, fitness and sport performance fields (Laurent et al., 2010 ; Coquart et al., 2009a, 2009b ; Eston, 2009 ; Eston and Evans, 2009 ; Faulkner and Eston, 2007 ; Lambrick et al., 2009 ; Morris et al.,

2009). The use of the RPE in sport, exercise, and rehabilitation is founded on its strong relationships with exercise intensity (eg, work, speed, power) and physiological factors (eg, heart rate, ventilation, oxygen uptake, blood lactate) (Eston, 2012).

In practice, trainers use RPE to regulate exercise intensity in non-clinical environments, which lack the availability of sophisticated laboratory-based monitoring procedures (Morris et al., 2009). RPE are commonly used as a practical, non-invasive adjunct when monitoring physiological and psychological markers of impending fatigue during exercise (Laurent et al., 2010 ; Borg, 1998 ; Noble and Robertson, 1996). The utility of monitoring RPE during exercise has clear advantages from a practical standpoint as it eliminates the need for invasive blood draws or cumbersome equipment (Laurent et al., 2010).

There is several manners to determine the RPE during or after an effort. In one hand, the subjective option concerns the use of the RPE scales and estimates the strain that simultaneously reflect both physiological and psychological variables (Gillach et al., 1989). The Borg 15-points RPE scale is one of the main tools commonly used in the subjective assessment of RPE (Borg, 1982). In the other hand, it has been demonstrated that Borg scale is linearly linked to the work objective

load, as well as maximal heart rate (HRmax) (Acevedo et al., 2006). The RPE was constructed to be linearly related to maximum heart rate and maximum oxygen uptake during ergocycle exercise and, this relationship was extended to running and an equation establishing this link has been determined : $HR_{max} = RPE * 10$ (Borg, 1973). Many physiological parameters (oxygen consumption, blood pressure, blood lactate concentration, heart rate, etc.) reflect exercise intensity and constitute the objective assessment of the RPE (Gillach et al., 1989).

To our knowledge, there is no study that has evaluated the convergence of the two methods of determining the RPE in university athletes. Then, the main aim of the present study was to investigate the convergence of the RPE subjective (S-RPE) assessment (6-20 RPE-scale) with that of the objective (O-RPE) assessment ($HR_{max} = RPE * 10$). Secondly, we compared the physiological responses from the two field tests used to estimate athlete's aerobic capacity.

1- Material and methods

Participants

Following approval of the research project by the directorate of studies of the National Institute of Youth and Sports, 29 university athletes (26.6 ± 3.4 years ; 75.3 ± 7.8 kg ; 1.80 ± 0.10 m) provided written consent which allowed them to par-

ticipate in the study. All the participants were physically active, asymptomatic of illness and pre-existing injury. The study was conducted according to the Declaration of Helsinki of 1975.

Procedures

Each participant completed randomly two tests : the VAMEVAL test in a 400 m athletic tracks (VAMEVAL) and the 20 m shuttle run test (20mST). Tests were scheduled at the same hour of the day for each subject, to avoid effects of circadian rhythm on physiological and psychological functions. Forty eight hours at least elapsed between two successive tests, during which subjects were compelled to refrain undertaking any heavy exercise.

The investigation started after a 10-min resting on a sitting position during which anthropometric and resting cardiorespiratory parameters of participants were determined. Weight was measured using a bio-impedance-meter scale TANITA BC 532 (Tokyo, Japan), and the height was measured with height meter. Oxygen saturation (SpO₂) and resting heart rate (rHR) were measured with an electronic pulse oximeter (ChoiceMMed, Oxy-WatchC20, Beijing, China). Systolic blood pressure (SBP) and diastolic (DBP) were determined using an electronic blood pressure device (Medisana AG, Neuss, Germany).

During each test the maxi-

mal heart rate (HRmax) of each participant was recorded using heart rate monitor Polar RS800CX (Polar electro Oy, Finland).

At the end of each test, physiological parameters were collected again (SpO₂, HRmax, SBP, DBP) and the subjective rate of perceived exertion (S-RPE) was determined using the Borg 15 point scale (Borg, 1982). In addition, using the HRmax, the objective RPE (O-RPE) was estimated from the relation $HR_{max} = RPE \times 10$ (Borg, 1973). Blood lactate concentration [BLa] was determined after each test at the 5th minute of recovery using the blood lactate analyzer Lactate Scout (Barleben, Germany).

Statistical analysis

All statistical analyses were conducted using Statview 5.0 software (SAS Institute Inc., Cary, NC, USA) and data were expressed as mean values \pm standard deviations. The comparison post-test measured parameters between the VAMEVAL test and the 20 meter shuttle run test (20mST) was done using t-test for paired samples. In each test, the comparison between the S-RPE and the O-RPE was also done through the t-test for paired samples.

2- Results

The baseline anthropometric and physiological characteristics of participants are summarized on Table 1.

Table 1 : Baseline characteristics of participants.

Characteristics	M±SD	Min	Max
Age (years)	26,6±3,4	19,0	32,0
Weight (cm)	75,3±7,8	59,7	90,2
Height (m)	1,76±0,08	1,55	1,89
SBP (mmHg)	126,9±12,3	101,0	155,0
DBP (mmHg)	81,1±9,8	60,0	103,0
SpO ₂ (%)	98,1±0,6	97,0	99,0
rHR (bpm)	81,2±11,9	56,0	110,0

SBP: Systolic blood pressure; DBP: Diastolic blood pressure; rHR: Resting Heart Rate; SpO₂: Oxygen Saturation.

Table 2: Comparison of post-test measured parameters

Tests	VO _{2max} (mL/min/Kg)	HRmax (bpm)	[BLa] (mmol/L)	SpO ₂ (%)
VAMEVAL	45.7±2.4	190.5±9.1	11.4±2.6	97.5±1.8
20mST	50.7±4.0	191.7±7.4	12.1±2.9	95.0±2.4
P-value	< 0.0001*	0.4238 ^{NS}	0.3346 ^{NS}	< 0.0001*

:Significant differences at P< 0.0001. VO_{2max}: maximal oxygen Consumption; HRmax: Maximum Heart Rate; [BLa]: Blood lactate concentration; SpO₂: Oxygen Saturation. Values are presented as mean ± Standard deviation.

Significant differences were recorded (P< 0.0001) in the values of VO_{2max}, and SpO₂, obtained

in the VAMEVAL test and the 20mST. In contrary, there was no significant

difference between both tests in the values obtained in the HRmax (P= 0.4238) and [BLa] (P= 0.3346).

Figure 1 illustrates the comparison between subjective (S-RPE) and objective (O-RPE) perceived difficulties

int each test.

O-RPE: Objective rating of perceived exertion; S-RPE: Subjective rating of perceived exertion




Figure 1: Comparison of objective (O-RPE) and subjective difficulties (S-RPE) in each test

Significant differences were noted between S-RPE and O-RPE in each test ($P < 0.0001$).

3- Discussion

This study was mainly designed to investigate the convergence of the RPE subjective (S-RPE) assessment (6-20 RPE-scale) with that of the objective (O-RPE) assessment ($HR_{max} = RPE * 10$). The results revealed significant differences between S-RPE and O-RPE. This result means that athletes do not express the real difficulty of the task during evaluation. Eston (2012) previously reported that the RPE is moderated by psychological factors (eg, cognition, memory, previous experience, understanding of the task) and situational factors (eg, knowledge of the end point, duration, temporal characteristics of the task).

When comparing the objective (O-RPE) and subjective difficulties (S-RPE) in the present study, significant differences were noted between S-RPE and O-RPE in each test ($P < 0.0001$). This result suggests that athletes do not express really the exercise difficulty through the 15-points Borg scale. They underestimate the perception of the difficulty of the exercise as it was revealed in a study by Schneider et al. (2022), where the perception difficulty was underestimated by men in comparison to women, and by younger and older adults in comparison to middle-aged adults. In our study, the objective measurement of the RPE was based on the heart rate. In a previous

study conducted by Boyd et al. (2017) aiming at determining objective and subjective measures of exercise intensity during constant intensity yoga in a hot and thermo-neutral environment, it was shown that, according to established exercise intensities, hot yoga was classified as light-intensity exercise based on percentage of maximal oxygen consumption but moderate-intensity exercise based on %HR_{max} and RPE while thermo-neutral yoga was classified as light-intensity exercise based on percentage of maximal oxygen uptake, %HR_{max}, and RPE.

Furthermore, other study aiming at assessing the distribution of exercise intensity in long-distance recreational athletes (LDRs) preparing for a marathon and to test the hypothesis that individual perception of effort could provide training responses similar to those provided by standardized training methodologies suggested that in recreational LDRs most of the training time is spent at low intensity and that this is associated with improved performances (Manzi et al., 2015).

In another study (Iturricastillo et al., 2017), that aimed at analyse the training load in wheelchair basketball small-sided games and determine the relationship between heart rate (HR)-based training load and perceived exertion (RPE)-based training load methods among small-sided games bouts, it was suggested that HR-based and RPE-based training loads provide different infor-

mation, but these two methods could be complementary because one method could help us to understand the limitations of the other.

Conclusion

There is no convergence between the objective (based on the 15-point RPE-scale) and the subjective (based on the HR) measurements of the RPE in university athletes. Nevertheless, the two methods could be complementary and must be used by the trainers to determine the intensity of the exercise during training sessions.

Bibliographical references

Acevedo EO, Webb HE, Weldy ML, Fabianke EC, Orndorff GR, Starks MA. (2006). Cardiorespiratory Responses of Hi Fit and Low Fit Subjects to Mental Challenge during Exercise. *Int J Sports Med* ; 27: 1013 – 1022. PubMed <https://doi.org/10.1055/s-2006-923902>

Borg G. (1998). Borg's perceived exertion and pain scales. Champaign, Illinois: Human Kinetics,

Borg G. (1982). Psychological basis of perceived exertion. *Med Sci Sports Exerc.* ;14:377–381. PubMed

Borg, G. (1973). Perceived exertion: A note on "history" and methods. *Med. Sci. Sports* ;5:90-93.

Boyd CN, Lannan SM, Zuhl MN, Mora-Rodriguez R, Nel-

son RK (2017). Objective and subjective measures of exercise intensity during thermo-neutral and hot yoga. *Appl Physiol Nutr Metab.* 2 3 : 1 - 6 . <https://doi.org/10.1139/apnm-2017-0495>

Coquart JBJ, Legrand R, Robin S, (2009a). Duhamel A, Matran R, Garcin M. Influence of successive bouts of fatiguing exercise on perceptual and physiological markers during an incremental exercise test. *Psychophysiology*;46:209–216. PubMed

<https://doi.org/10.1111/j.1469-8986.2008.00717.x>

Coquart JBJ, Lemaire C, Dubart AE, Douillard C, Luttenbacher DP, Wibaux F, Garcin M.(2009b). Prediction of peak oxygen uptake from sub-maximal ratings of perceived exertion elicited during a graded exercise test in obese women. *Psychophysiology* ; 46:1150–3. PubMed

<https://doi.org/10.1111/j.1469-8986.2009.00863.x>

Eston R (2012). Use of Ratings of Perceived Exertion in Sports. *Int J Sports Physiol Perform.* 7:175-182

Eston R. (2009). What do we really know about children's ability to perceive exertion? time to consider the bigger picture. *Pediatr Exerc Sci.* ; 21:377–383. PubMed

Eston RG, Evans H. (2009). The validity of submaximal ratings of perceived exertion to predict one repetition maximum. *J*

Sports Sci Med. ; 8:567–573

Faulkner J, Eston R. (2007). Overall and peripheral ratings of perceived exertion during a graded exercise test to volitional exhaustion in individuals of high and low fitness. *Eur J Appl Physiol.* ; 101:613–620. PubMed <https://doi.org/10.1007/s00421-007-0536-2>

Gillach MC, Sallis JF, Buono MJ, Patterson P, Nader PR (1989). The relationship between perceived exertion and heart rate in children and adults. *Ped. Exerc. Sci.* 1:360-368.

Hamer P, Slocombe B. (1997). The psychophysical and heart rate relationship between treadmill and deep-water funning. *Aust J Physiother* ;43(4): 265–271

Iturricastillo A, Granados C, Los Arcos A, Yanci J (2017). Objective and subjective methods for quantifying training load in wheelchair basketball small-sided games. *J Sports Sci* 35(8):749-755. <https://doi.org/10.1080/02640414.2016.1186815>

Lambrick DM, Faulkner JA, Rowlands AV, Eston RG.(2009). Prediction of maximal oxygen uptake from submaximal ratings of perceived exertion and heart rate during a continuous exercise test: the efficacy of RPE 13. *Eur J Appl Physiol.* ;107:1–9. PubMed <https://doi.org/10.1007/s00421-009-1093-7>

Laurent CM, Green JM, Bishop PA, Sjøkvist J, Richardson MT, Schumacker RE, Curtner-Smith M.

(2010). Stability of RPE increase during repeated intermittent sprints. *J Exerc Sci Fit.*;8(1):1–10.

Manzi V, Bovenzi A, Castagna C, Sinibaldi Salimei P, Volterrani M, Iellamo F (2015). Training-Load Distribution in Endurance Runners: Objective Versus Subjective Assessment. *Int J Sports Physiol Perform.* 10(8):1023-8. <https://doi.org/10.1123/ijsp.2014-0557>

Morris M, Lamb K, Cotterrell D, Buckley J.(2009). Predicting maximal oxygen uptake via a perceptually regulated exercise test (PRET). *J Exerc Sci Fitness.* ;7:122–128. [https://doi.org/10.1016/S1728-869X\(09\)60015-0](https://doi.org/10.1016/S1728-869X(09)60015-0)

Noble B., Robertson R. J.(1996). *Perceived Exertion*. Champaign, Illinois: Human Kinetics,

Ritchie C. (2012). Rating of Perceived Exertion (RPE). *J Physiother* ; 58(1):62-62.

Schneider JN, Matyjek M, Weigand A, Dziobek I, Brick TR (2022). Subjective and objective difficulty of emotional facial expression perception from dynamic stimuli. *PLoS ONE* 17(6): e 0 2 6 9 1 5 6 . <https://doi.org/10.1371/journal.pone.0269156>

TABLE DES MATIERES

ÉDITORIAL	9
PARTIE 1 - BIOLOGIE APPLIQUEE AUX ACTIVITES PHYSIQUES ET SPORTIVES.....	11
<i>Do university athletes really express the difficulty of the effort du ring cardiorespiratory endurance tests?</i> Guessogo W.R. et al.,.....	12
<i>Impact du confinement prolongé dû à la COVID 19 sur les profils anthropométrique, physiologique, et condition physique de la co horte d'étudiants nouvellement admis à l'INJS de Yaoundé en 2020 et 2021.</i> MBOUH S. et al.,.....	20
<i>Effet combiné d'un régime enrichi en farine de manioc doux (Mani hot esculenta Crantz) supplémenté à l'extrait aqueux des feuilles de Moringa oleifera sur la performance physique des rats.</i> EBAL M. E. et al.,.....	33
<i>Prise en charge des technopathies du cyclisme : cas du tour cycliste international du FASO 2021.</i> CISSE A.R. et al.,.....	51
<i>Prévention des maladies cardiovasculaires et de la mort subite car diaque : évaluation de l'alimentation des footballeurs d'élite ca merounais.</i> MBOUH S.,.....	58
<i>Profils anthropométrique, physiologique et performance physique des handballeurs de l'équipe nationale messieurs du Cameroun.</i> MBOUH S. et al.,.....	72
PARTIE 2 - SCIENCES HUMAINES ET SOCIALES APPLIQUEES AUX ACTIVITES PHYSIQUES ET SPORTIVES.....	87
<i>La danse Bisima : pratique corporelle, convocation de l'invisible et rituel thérapeutique chez les Bakoko.</i> NGOHSADJO E. R. et al.,.....	88
<i>Déterminants de l'intention de pratiquer les activités physiques chez les femmes pré-ménopausées et ménopausées.</i> MBAME J.-P. et al.,.....	103

<i>Analyse des causes de la fraude a l'identité chez les sportifs camerounais.</i> AKAMBA M. D.,.....	116
--	-----

PARTIE 3 – SCIENCES DE L'INTERVENTION131

Taxonomie sportive du handicap moteur et projet inclusif pour les jeux universitaires au Cameroun. EKONO R. V., et al.,.....	132
---	-----

L'enseignement de l'éducation physique et sportive avec un logiciel de simulation sur ordinateur. MEDOUGA M. F. V., et al.,.....	149
---	-----

**PARTIE 4 – SCIENCES HUMAINES ET SOCIALES APPLI
QUEES A L'ÉDUCATION PERMANENTE.....163**

Management et pressions sociales : le cas de certains établissements publics administratifs de la ville de Yaoundé. MANGA J. M., et al.,.....	164
--	-----

<i>Plaidoyer en faveur de l'insertion de l'accompagnement entrepreneurial des jeunes dans les plans communaux de développement au Cameroun.</i> WADOUM F. C., et al.,.....	176
---	-----

<i>Accessibilité du médicament de la rue et engagement du personnel soignant dans le marché informel a Yaoundé – Cameroun.</i> LEVODO P., et al.,.....	191
---	-----

<i>Employabilité des auditeurs libres issus de la division des sciences et techniques d'animation, de loisirs et d'éducation civique de l'institut national de la jeunesse et des sports de Yaoundé, Cameroun.</i> MATHO F. A.,.....	202
---	-----

<i>Stratégies communicationnelles et autonomisation de la femme rurale dans le département de la Sanaga maritime au Cameroun.</i> EDIKIN F. et al.,.....	215
---	-----

PARTIE 5 – SCIENCES DU LOISIR.....225

Systématisation des spectacles vivants dans la dynamique de l'animation muséale. EWANE J. C.,.....	226
---	-----

<i>L'effet de la musique comme aire transitionnelle sur la construction de l'identité des adolescents scolarisés du club fanfare au collège François Xavier Vogt.</i>	
<i>MOTE A. et al.,</i>	237
<i>Jeux de hasard : pratiques, mode opératoire et influences au sein de la jeunesse universitaire. Une étude menée auprès des étudiants des universités de Yaoundé I et II.</i>	
<i>ESSALA B.</i>	252